



**JAYA CONTAINER TERMINALS LTD
COLOMBO OIL BANK**

BIDDING DOCUMENT

SUPPLY OF OFFICE UNIFORM, SAFETY SHOES

FOR JCT LTD

2024

BID REF.NO.JCT/DPC/2024/002

BID CLOSING TIME & DATE : 1400Hrs/28.03.2024

CHAIRMAN

DEPARTMENT PROCUREMENT COMMITTEE

JAYA CONTAINER TERMINALS LTD

69, WALLS LANE,

COLOMBO 15.

JAYA CONTAINER TERMINALS LTD
Ministry of Ports, Shipping & Aviation

INVITATION FOR BIDS

Jaya Container Terminals Limited (fully owned by Sri Lanka Ports Authority) invites sealed bids for following from eligible and reputed bidders in Sri Lanka.

Name of Categories	Value of Bid Bond	Nun-Refundable Deposit
Supply, Sewing of staff Uniforms	Rs.15000.00	Rs.2000.00
Supply and Delivery of Safety shoes	Rs. 7500.00	

The bid documents will be issued by the Finance Division, Jaya Container Terminals Ltd, No. 69, Walls Lane, Colombo 15, from 07/03/2024 to 27/03/2024 between 09.00 am and 03.00 pm during office hours.

Bids will be opened soon after closing at 02.00 pm on 28/03/2024. A Pre bid meeting will be held on 18.03.2024 at 10.30 a.m at this office.

For more information visit www.jctltd.lk

**THE CHAIRMAN,
DEPARTMENT PROCUREMENT COMMITTEE,
JAYA CONTAINER TERMINALS LIMITED,
NO.69, WALLS LANE, COLOMBO-15**

Contact Numbers: 2540045/6-0701327648

JAYA CONTAINER TERMINALS LTD

SUPPLY OF OFFICE UNIFORMS, SAFETY SHOES FOR JCT LTD

CONTENTS

	PAGE
1. Invitation for BID	02
2. Appendix to the Form of Bid	04
3. Instruction to the Bidders.	05-07
4. Conditions of Contract	08-09
5. Schedule of Price	10
6. Form of Bid	11
7. Technical Specification	12-13
8. Letter of Acceptance	14
9. Form A- format for the Bid Bond	15

CONTENTS OF SPECIFICATION

	PAGE
1. Annexures A	16 - 20
Trouser Blue/Black/Dark Brown	
Trouser Black/Ash/Blue Ladies	
2. Annexures B	21 - 26
Trouser Blue Denim	
3. Annexures C	28 - 34
Overall Blue	
4. Annexures D	35 - 43
Shirt –Ash /Light Blue/White	
5. Annexures E	44 - 54
T-Shirts – Dark Brown/Dark Gray/Dark Blue	
Black/Aqua Green	
6. Annexures F	55 - 61

Safety Shoes

APPENDIX TO THE FORM OF BID

Instructions to bidders	1 Value of Bid Bond	Supply of Office Uniform Rs.15000.00 Supply of Safety Shoes Rs.7500
Do	6. Samples	To be submitted at the time of Bid Opening. Mark the Separate Option 12"x 12" size Clothing material from each color shall be supplied with the bid as sample of the offered Uniform items. And samples for the safety shoes
Do	11. Information to be sent with the bid	Business certificate A minimum of two (02) reference During last five(05) years.
Bid conditions	02. Value of Performance Bond	10% of contract sum
- Do -	02.Validity period of performance bond	06 months from the date of award the Purchase order.
- Do -	04. Delivery Period	Ten(10) Weeks from the date of issue of the purchase order.
- Do -	04.4 Amount of Liquidated damages	01% of contract sum for each week's delay on the delivery period.

Instructions to Bidders

1. MODE OF BID:

The bid must be accompanied by a Bid Bond as perform `A' attached, in favor of Jaya Container Terminals Ltd for supply of all categories of office uniform(Trouser/shirt/Overall/T-Shirt) Rs. 15,000.00 and supply of safety shoes Rs.7500.00 or equivalent amount valid for a period of One hundred twenty (120) days from the date of closing of Bids and during the period of any extension thereof that may be agreed upon **BETWEEN** the Jaya container terminals Ltd and the **BIDDERER**. The Bid Bond shall contain the condition that if an award is made, the successful bidder will enter into a contract with the Jaya container terminals Ltd and in which event the Bid Bond of such successful bidder shall remain in full force and effect after the said period of One hundred twenty (120) days or any extension thereof until the bidder has entered into a contract and furnish the necessary Performance Bond.

03.1 The Bid Bond required shall be furnished by the bidder by Letter of Guarantee in the Form `A' attached, from any of the following:

- a) A recognized Bank in Sri Lanka by the central Bank
- b) A recognized bank abroad. (Confirmed by a recognized Bank in Sri Lanka)
- c) Insurance company registered with the Sri Lanka insurance regulatory commission of Sri Lanka.

The Bid Bond as per the form `A' attached to this Bid Document should be submitted along with the bid enclosed in the same envelope. No bid bond will be accepted if not submitted in this manner and if this condition is not fulfilled, the bidder's offer will not be considered under any circumstances. Copies of bonds are not acceptable.

Note:

I. Cash Bid Bonds also acceptable

1. CLOSING DATE :

Bid should be sent by post under registered cover, so as to reach the **Chairman, Department Procurement Committee, Jaya Container Terminals Ltd, No 69, walls lane, Colombo 15, Sri Lanka not later than 14:00 hrs. On 28/03/2024.**The relevant cover containing the bid should be marked **“Supply of Office uniform, Safety shoes for JCT Ltd ” at the left side top corner.** bidders if they so desire may **deposit the bid** in the tender box provided for the purpose at the office of the, **Jaya Container Terminals Ltd, No. 69, walls lane, Colombo15, Sri Lanka not later than 14:00 hrs. On 28/03/2024.** The Procurement committee shall not take any responsibility for Bids lost in the post and shall **not accept late submission** of bids.

03. OPENING OF BIDS:

05.1 Bids will be opened at 14:00 hrs. on 28/03/2024
At the Office Canteen - Colombo Oil Bank

No 69 Walls Lane,

Colombo 15.

05.2 Bidders or their duly authorized representatives may be present at the time of
Opening of Bids.

05.3 The officer opening the bids will read the prices of all offers received. Any clarification with respect
to the prices could be asked for by the bidders or their representatives at the time of opening
of the bids and not thereafter.

04. VALIDITY OF BID :

All bids shall be valid for a period of Ninety (90) days from the date of closing of the bids.

05 . PRICES:

07.1 Price shall always be entered and signed in the form "SCHEDULE OF PRICES"

contained in this bid Document. As per the Items Bidder should entered prices separately. The
price quoted should be for the supply within the agreed period and be net price. The VAT
payable on account of this work should be indicated separately with the VAT registration number.
Failure to provide the net price may result in bid being considered as a non responsive bid. The
schedule of prices are not entered in this manner will be rejected. Alternative bid shall not be
considered.

06. SAMPLE :

- **Bidder should provide Sample Clothing material for every uniform items (12" x 12") at the time of Bid opening. Sample material should be mark item number and Option Number clearly**
- **The Bidder who Supply Safety shoes should provided sample shoes pair at the Bid opening time**

It shall be the duty of the bidder, if required, to send samples of the materials/goods so as
to reach the Chairman, Procurement Committee, Supplies Division or Stores, JCT Ltd No.69,Walls
Lane, Colombo 15, not later than the opening time of the bid, the samples should be dispatched on
non-commercial basis and should be sealed in packages. Receipts should be obtained for all such
samples from the Chairman of the Procurement Committee or his representative. The samples should
be properly packed. The name of the bidder, the item number as in the schedule and the description
of material/goods should be indicated on each sample. Where more than one sample is sent for one
item the identity of each should also be clearly marked. A copy of the manufacturer's specifications
of the materials/goods should be sent so as to facilitate the evaluation of the materials/goods by the
JCT Ltd.

07. INFORMATION TO BE SENT WITH BIDS:

- Business Registration .
- A minimum of three (02) reference from entities to which similar services provided during last five (5) Years , should provide proof documents.
- All Bidders must participate for the pre bid meeting before submitting the bid document.

-Pre bid meeting have scheduled on 18.03.2024 at 10.30 am, arranged by Head of Engineering (Tel,0112540045)

08. POWER TO ACCEPT OR REJECT BIDS:

The Procurement committee reserves the right, without question, of rejecting any or all bids and the right of accepting in full or any portion of a bid. Bidders should be prepared to accept and execute in full or part of the bid at the rates quoted in the bid form against each item or part.

09. NOTICE OF ACCEPTANCE OF BID:

Acceptance of Bid will be communicated by fax and confirmed in writing by registered post to the successful bidder to the address given by him in the bid document, as soon as possible, after the closing date of bid. Any change of address of the bidder should be promptly notified to the **Chairman, Procurement Committee, Jaya container Terminal Ltd**, No. 69, walls lane, Colombo 15, Sri Lan

10 . PROOF OF ABILITY :

Bidder must submit documents or other evidence of their ability to carry out the contract and other factors such as experience, man power etc.

11. Bidders must acquaint themselves fully with the conditions of contract. No plea of lack of information or insufficient information will be entertained at any time.

12. Any further information required by bidders can be obtained on application from the Office of the **Head of Engineering, Jaya Container Terminals Ltd, No. 69, walls lane, Colombo 15, Sri Lanka. (TEL 2540040-4 / 0714736928)**

13. A Bidder is liable to be rejected unless all the conditions laid down herein have been strictly fulfilled.

14. INDUCEMENTS FROM BIDDERERS

The Procurement committee shall reject a bid if the prospective/ successful bidder gives or agrees to give, directly or indirectly to any Officer or Employee of Jaya Container Terminals Ltd. a gratification/gift in any form as an inducement with respect to an act or decision of or procedure followed by the Jaya Container Terminals Ltd. with regard to this Bid. Such rejection of a bid shall be recorded and communicated to the relevant party promptly

15. VALUE ADDED TAX ON PAYMENTS MADE LOCALLY

Bidders are required to give their VAT Registration No. in the space provided in page No.13 of this bid document. If a bidder is not registered for VAT he should attach a letter from the Commissioner of Inland Revenue to the effect that this company is not registered under VAT.

Conditions of Contract

01. MODE OF PAYMENT:

The payment will be made within 21 working days after receiving the invoice for the successful supply of uniform and after carrying out all the alterations/complaints of employees.

02. PERFORMANCE BOND:

The successful bidder shall at his cost and expense deposit with the Jaya container Terminals Ltd within **fourteen (14)** working days of the date of notice of award of the Bid, a Performance Bond in favor of the Jaya Container Terminals Ltd. in the form of a Bank Guarantee as given in Form `B' attached here to the Jaya container Terminals Ltd for the due performance of the contract in a sum equivalent to ten percent (10%) of the Bid value of the bid. This bond shall be payable on demand and valid for period of six (06) months. As an alternative, to the performance Bond a cDark Gary deposit for the same amount may be made with the **Jaya Container Terminals Ltd**. In the event of default on the part of successful bidder, resulting in breach of contract condition the Jaya Container Terminals Ltd may by written notice terminate the contract and proceed to collect the performance Bond without prejudice to any further action that may be deemed necessary against the successful bidder.

03. DELIVERY OF MATERIALS/GOODS

3.1 The successful bidder shall deliver at his own cost all materials/goods to be supplied to the place of work or Main Stores as determined by the JCT Ltd.

0.2 Delivery of materials/goods by the successful bidder should be completed before the latest delivery date in the letter of award of the bid. If supplies are to be delivered in installments, the number of installments and quantities to be delivered in each installment shall be indicated by the JCT Ltd.

04. DELIVERY WITHIN AGREED PERIOD

4.1 Should the bidder anticipate a delay at any time during the execution of the delivery of the uniforms within the time specified in his bid, he shall at once give notice accordingly in writing to the Chairman, Jaya Container Terminals explaining the cause for the delay.

4.2 In the case of delay, the Chairman, JCT Ltd shall have the option of either granting an extension or terminating the contract and collecting the Performance Bond without prejudice to any other claims that may be lodged in this regard.

4.3 If an extension is granted, the bidder shall affect delivery within such extended period. On Failure to affect delivery within such extended period the Chairman, JCT Ltd, will have the right of terminating the contract and collecting the Performance Bond without prejudice to any other claims that may be lodged in this regard.

4.4 The bidder effecting delivery after the expiry of the extended period will be subject to liquidated damages of one percent per week of the value of any supply which may be in arrears, recoverable from the Performance Bond.

05. FORCE MAJEURE:

The bidder is not responsible for delay or non-performance of contractual obligations, and the **Jaya container Terminals Ltd** is not responsible for delay or non-performance of its contractual obligations caused by war, blockade, revolution, insurrection, civil commotion, riots, strikes, lockouts, fire, floods acts of god, and acts of Government, Public enemy or epidemics.

04 . INDIVIDUALS NOT PERSONALLY LIABLE:

No Director or Officer or an employee of the Jaya container Terminals Ltd shall be in anyway personally bound or liable for the acts or obligations of the successful bidder under the contract or answerable for any default or omission of the successful bidder in the observance or performance of any of the ac matters or things which are herein contained.

05. ARBITRATION:

If at any time any question, dispute or difference of opinion shall arise between the Jaya

Container Terminals Ltd and the Contractor in connection with or arising out of the contract which cannot be settled amicably, either party shall as soon as practicable, give notice to the other in writing of the existence of such question, dispute or difference and the same shall finally be settled by Arbitration, which shall be held in Sri Lanka according to the laws of Sri Lanka.

06. JURISDICTION

The bids and any contract resulting therefrom shall be governed by and construed according to Laws of the Democratic Socialist Republic of Sri Lanka.

SCHEDULE OF PRICES

Bidding No.: **JCT/DPC/2024/002**

Description of Item: **SUPPLY OF OFFICE UNIFORM, SAFETY SHOES FOR JCT LTD.**

	S. No	Qty in Nos	Description	Unit Price Without VAT		Unit Price With VAT Option 1	Unit Price With VAT Option 2
				Option 1	Option 2		
A	1	46	Trouser Blue				
	2	16	Trouser Blue Denim				
	3	93	Trouser Black				
	4	30	TrouserBlack/Blue/Ash/Ladies				
	5	34	Trouser Dark Brown				
	6	06	Shirt Ash Color				
	7	18	Shirt light Blue				
	8	48	Shirt White				
	9	56	Overall Blue				
	10	34	T-Shirt Dark Brown				
	11	32	T-Shirt Dark Gray				
	12	09	T-Shirt Black				
	13	08	T-Shirt Dark Blue				
	14	56	T-Shirt –Aqua Green				
	15	03	Skirt Blue				
	16	02	Skirt Black/Ash/Blue				
	17	04	Blouse Ash Color				
	18	16	Banian				
B	1	60	Safety Shoes & Shocks				

Delivery Period (After placing the purchase order):

VAT Registration number of the Bidder:

.....

SIGNATURE OF THE BIDDER

DATE

Name of Bidder:

Address :

Telephone No : Fax No:

NOTES:

1. **BIDS NOT GIVING PRICES IN THIS SCHEDULE WILL BE REJECTED.**
2. **THE TOTAL PRICE GIVEN FOR EACH ITEM SHOULD BE THE NET TOTAL PRICE TAKING ALL DISCOUNTS INTO ACCOUNT. DISCOUNTS GIVEN SEPARATELY WILL NOT BE CONSIDERED IN EVALUATION OF THE BID.**

FORM OF BID

The Chairman,
Department Procurement Committee (JCT Ltd)
Jaya Container Terminals Limited

SUPPLY OF OFFICE UNIFORM & SAFETY SHOES FOR JCT LTD

(Ref: File No. JCT/DPC/2024/002)

I/We, the undersigned, having read and fully acquainted myself/ourselves with the contents of the “Information and Instructions to Bidders and Terms and Conditions of Bid” pertaining to the above Bid, along with Schedules thereto, do hereby undertake to Services referred to therein, in accordance with the aforesaid Instructions, Terms and Conditions for a total Bid Price of Rupees.....(In figures)
.....

.....(in letters).The makeup of the aforesaid total Bid Price is given in the accompanying Price Schedules.

2. I/We confirm that this offer shall open for acceptance until and that it will not be withdrawn or revoked prior to that date.

3. I/We submit hereto the following documents as part of my/our bid

	Page Nos.
1. Covering letter (if any)
2. Bid Security – Form A - Instructions to Bidders.
3. Past records of supply and certificates from relevant authorities –
4. Certificate of Registration with the Registrar of Contracts (If the Bid Value exceeds Rs. 5 million)
5. Any other applicable documents.

4. I/We, understand that you are not bound to accept the lowest bid and that you reserve the right to reject any or all bids or to accept any part of a bid without assigning any reasons therefor.

5. My/Our Bank reference is as follows:.....

Date:.....

Signature of Bidder

Name of Bidder (Company Name):.....

Postal Address:.....

E-mail Address: Telephone No..... Bid Deposit Receipt No.....

Technical Specifications

Schedule of Specification for Staff uniform & Safety shoes of JCT Ltd – 2024

Bidder shall dully fill the “Bidders Compliance “column in this schedule.

A	Se ria l N o	Employee Uniform	No.of Items	Description	Specification Annexes. with Pages	Bidder' compliance
	01	Trouser Blue	46	Use for Pump house/ Workshop/South Jetty	A (16-20)	
	02	Trouser Blue Denim	16	Use for fire section	B (21-26)	
	03	Trouser Black	93	Use for office staff(gents), Transport Readymade or Should be taken measurement	A (16-20)	
	04	Trouser Black/Blue/Ash -Ladies	30	Use for office staff(Ladies). Readymade or Should be taken measurement.	A (16-20)	
	05	Trouser Dark Brown	34	Use for pump house/South Jetty. Should be taken measurement.	A (16-20)	
	06	Shirt Ash Color	06	Use for office Aid staff. Readymade or Should be taken measurement in individual .	D (35-43)	
	07	Shirt light Blue	18	Use for Drivers(Transport). Readymade or Should be taken measurement in individual and use suitable marital	D (35-43)	
	08	Shirt White	39	Use for office staff(gents- sort/long sleeve /Supervisors(sort sleeve)(as attached design). Readymade or Should be taken measurement	D (35-43)	
			09	Fire & Safety(as attached design)		
	09	Overall Blue	56	Use for work shop/pump house/fire. South Jetty.Should be taken measurement .(attached design) *JCT LOGO ,company name should be printed all the Overall and	C (28-34)	

				* should be print "fire & safety (08) overall		
	10	T-Shirt Dark Brown	34	Pump house/South Jetty*JCT LOGO ,company name should be printed all the T-shirt	E (44-54) Design Ann. 02	
	11	T-Shirt Dark Gray	32	Use for Pump house/South Jetty*JCT LOGO ,company name should be printed all the T-shirt	E (44-54) Design Ann. 03	
	12	T-Shirt Black	09	Workshop*JCT LOGO ,company name should be printed all the T-shirt	E (44-54) Design Ann. 01	
	13	T-Shirt Dark Blue	08	Use for Fire section*JCT LOGO ,company name should be printed all the T-shirt and use suitable marital	E (44-54) Design Ann. 04	
	14	T-Shirt Aqua Green	56	Use for Office staff/Transpor/supervisors*JCT LOGO ,company name should be printed all the T-shirt and use suitable marital	E (44-54) Design Ann. 05	
	15	Skirt Blue	03	Use for office Aid. Readymade or Should be taken measurement in individual and use suitable material	A	
	16	Skirt Black/black ash	02	Use for office staff. Readymade or Should be taken measurement in individual and use suitable material	A	
	17	Blouse Dark Ash	04	Use for office staff. Readymade or Should be taken measurement in individual and use suitable material	D	
	18	Banian (Kits)	16	Use for Fire section		
B		Safety Shoes				
	01	Safety Shoes (pairs) & shocks	60	Specification sheet attached-	F (55-61)	

LETTER OF ACCEPTANCE

To: -----

Address.....

Date:

This is to notify you that your bid dated..... for construction and remedying defects of the -----
----- [name of the Contract and identification number] for the Contract price of -----[name of
currency]-----[amount in figures and words] as corrected in accordance with Instructions to Bidders and/
or modified by a Memorandum of Understanding , is hereby accepted.

You are hereby instructed to proceed with the execution of the said Works in accordance with the Contract documents.

The Commencement Date shall be:

The amount of Performance Security is :

The Performance Security shall be submitted on or before

Authorized Signature:n

Name and title of Signatory.....n

Name of Agency:

FORM - A

B I D B O N D

TO:

Jaya container Terminals Ltd

No 69, Walls Lane

Colombo 15

Sri Lanka.

Sirs,

We the undersigned Bank in order to allow M/s. (Name and address of the Bidder) to submit a Bid Proposal for the supply of for the **JAYA CONTAINER TERMINALS LTD** waiving all objections and defenses on the part of the said

M/s.....

.....(Name of the Bidder) or any Third Party, hereby irrevocably and independently guarantee to pay you on unconditionally upon receipt of first written demand and without reference to the tenderer an amount up to a total sum of.....

We shall effect payment to you against your statement to the effect that the bidder: -

- a. Has withdrawn his bid after the closing of tenders and before the expiry of its validity period of one Hundred twenty (120) days;
- b. Being the successful bidder has failed to enter into a written contract with the Jaya Container Terminals Ltd in accordance with the tender submitted and award made;
- c. Being the successful bidder has failed to give the bond or bonds that may be required for the faithful performance of the contract. It is fully understood that this guarantee takes effect from the date of the closing of the tender on And shall remain valid for a period of One hundred twenty (120) days thereafter and during the period of any extension thereof that may be agreed upon **BETWEEN** the Jaya container Terminals Ltd **AND** the Bidder.

Notwithstanding anything to the contrary, if the bidder is successful in his bid, this guarantee shall remain in full force and effect after the period of Ninety (90) days until the tenderer shall have entered into the contract and furnished the necessary Performance Bond. All claims under this guarantee must be submitted to us within Fourteen (14) working days after the expiry date.

It is understood that you will return this guarantee to us on its expiry provided that no claim is payable, but if a claim is payable, this guarantee will only be returned after settlement of the total amount claimed herein.

Dated this..... day of..... 2024....

Signature in the capacity of duly authorized to sign for and on behalf of

ANNEXES A

SPECIFICATION

**SPECIFICATION COMPLIANCE
FOR**

Trouser for ladies & Gants



JAYA CONTAINER TERMINALS LIMITED.

Tel. 0112540045-46-40

Fax. 0112540046

Specification Compliance Sheet for Trouser for ladies & Gants

The trousers should be with following specifications and all specifications of the offered item should be clearly filled under the “supplier’s specification” column.

The offered submitted with blank schedule of specification sheet will not be considered at the evaluation:

No.	Our Requirement		Supplier's Specification
A	General Details		
A.1	Guaranty	The item shall be guaranteed for a minimum period of Two months for manufacturing defects.	
A.2	Literatures	Relevant literatures, quality certificates in English shall be submitted with the offer..	
A.3	Type of the Trouser	Trousers shall be Standard Straight Shape design, which put on from the waist to the ankles covering both legs separately, completed mainly with waist band, belt loops, fly, brass zipper, cuff and pockets as the detail specifications given in Section (B) of Specification for Trousers & fabric.	
A.4	Tailoring	Supplier is required to do the tailoring for individuals who need custom tailoring according to the end user measurements & shall visit JCT & SLPA premises	
A.5	Packing	Each trouser to be machine pressed and packed in individuals weather tight poly bag & tag to be attached as sticker with individual details before delivery.	

For Material Characteristics				
B	Characteristics, standard value and Standard test methods of the fabric are given in the below and the bidder shall require to submit a sample of the material with the relevant test s confirming stand values as given in below.			
B.1	Construction			
	Characteristics	Standard value	Standard Test Method	A copy of test certificate of the offered material to be submitted and relevant details.
a	Weave	Plain	ISO 7211/1	
b.1	Wrap Count-Tex (Ne)	2/20 (2/30±5%)	ISO 7211/5	
b.2	Weft Count-Tex (Ne)	2/20 (2/30±5%)	ISO 7211/5	
c.1	No.of Ends per cm (epi)	24 (60 ± 2)	ISO 7211/2	
c.2	No. of Picks per per cm (ppi)	19 (48 ± 2)	ISO 7211/2	
d	Mass per unit Area(g/m2) (Finish Fabric)	160 cm	ISO 3801	
B.2	Others			
	Characteristics	Standard value	Standard Test Method	
a	Composition of Yarn	65% polyester, 35% Viscose	ISO1833	
b	Dimensional changes of WDark Garying	maximum 2%	ISO 5077	
c	Braking Strength (stip strength by N)		ISO 5081	
	• Wrap	Minimum of 750		
	• Weft	Minimum of 550		
d	Width	152 ± 2 cm	ISO 3932	
e	Resistance to piling	More than 2 after 5 hrs	BS 5811	
f	Colour	Black, Dark Blue & White		

g	Fabric Defects	Free from Major defects	Visual inspection	
h	Skewness	Less than 4%	BS 2819	
i	Finish	Crease resistance finish		
j	Crease recovery Angle			
	• Wrap	Minimum of 120°	ISO 2313	
	• Weft	Minimum of 120°	ISO 2313	
k	Colour Fastness to			
	• Light	5 or Better	ISO 105 : BO2	
	• WDark Garrying	4 or Better	ISO 105 : CO3	
	• Perspiration	4 or Better	ISO 105 : EO4	
	• Hot Pressing	4 or Better	ISO 105 : X11	
	• Rubbing	4 or Better	ISO 105 : X12	
l	Selvedge	Minimum 60 mm (conventional) or leno selvedge		
C	Sample			
C.1	Sample	Sample material should be submitted with the offer 30 cm X 30 cm from the commencement of the production.		
		Selected supplier shall be requested 04 m length of the sample fabric for the final acceptance & confirmation of the same before commencement of the production		
		A labeled sample trouser which was tailored to the our specifications given in Section (B) of Specification for Trousers & fabric, from each colours shall be submitted with the offer.		
		Fabric deposited by the winning bidder shall be responsible to sent to respective Authority (Textile training & service center, Rathmalana) to ensure above material characteristics.		
		Supplier shall agree to show standard colour codes for SLPA inspection team to selection of colours Black, Dark blue & white.		
D	Finished trouser			
D.1	Label	Label to be back inner side of the rear right pocket. And sample label of the trouser shall be submitted with the offer.		
D.2	Waist band	Waist band shall be supported by durable inner tape.		
		Band be reasonably extended beyond center fly line.		
		Width of the waist band	1 - 3 inch	

		Each one inch increment of the width be supported by extra center button in identical colour & extra non -corrosive plated metal hook at the end.	
D.3	Belt Loop	Shall be double fabric thickness.	
		shall be butted on reverse side.	
		Shall be blind stitched.	
		Minimum of 1/2 inch wide by minimum 2 inch long.	
		Shall be 8 or more belt loops required as request by end user.	
		shall be provided in even Nos.	
D.4	Seam	Inside & Outside seam	Shall be triple stitched.
		Back center seam	
		Seam allowance to be left on each side including back seam completed with over lock hemming	shall be 3/4 inch or more
		Gusseted crotch	Shall be provide in order to relieve pressure zone & prevent blow outs.
		Tailoring	shall be used high quality thread.
D.5	Fly	Width of the Fly	shall be 1 inch minimum.
		Length	Reasonable length or requested by end user.
D.6	Zipper	Concealed brass zipper	Shall be required.
D.7	cuff	Standard size and style	Minimum 1 inch in width and to be completed with over lock hemming.
D.8	Front Pockets	Two front slant pockets	Shall be available.
		depth of front pocket	Shall be 12 inch from waist band.
		Pocketing material	65% Polyester , 35% cotton fabric.
D.9	Rear Pockets	Two rear (hip) insert pockets with flaps (or user specified) & buttons (identical colour provided)	Shall be available.
		depth of rear pocket	Shall be 6 inch.
		Pocketing material	65% Polyester , 35% cotton fabric.

Annexes B

SPECIFICATION

**SPECIFICATION COMPLIANCE
FOR**

DENIM TROUSER - BLUE



JAYA CONTAINER TERMINALS LIMITED.

Tel. 0112540045-46-40

Fax. 0112540046

1. SCOPE

This specification specifies the requirements of Jaya Container Terminals Limited for Denim Trouser.

2. SERVICE CONDITION

1	Annual average ambient temperature	30 °C
2	Maximum ambient temperature	40 °C
3	Maximum relative humidity	90%
4	Environmental conditions	Humid tropical climate

3. APPLICABLE FABRIC STANDARDS

Woven or knitted Fabric made from yarn gsm should be above 305-395gsm.

Warp Yarn density within range of 36 to 30(ends/cm).

Weft yarn density 20(picks/cm)

Oz value should be above 9.

Denim fabric should be 100% Woven cotton or union cloth with the ratios of 2:1 or 3:1

Thickness of fabric should be above 0.900mm

A surface of the denim fabrics shows a blue color while the inside color shows a white color family only.

4. BASIC FEATURES

4.1 DESIGN

As shown in the relevant drawings (Annex B)

4.2 SIZES

The successful bidder shall be able to provide custom made Trouser denim according to individual measurements.

4.3 COLOUR

Denim Trouser colour shall be based on the relevant division and the employee category as follows;

Table 1: Denim Trouser - Colour

No	Divisions	Section	Colour	
1	Engineering	<i>Fire & Safety</i>	Blue	

4.4 MARKING

4.4.1 Each Trouser Denim shall carry a label giving the following information:

- a) Size of the Denim Trouser **(28,30,32,34)**
- b) WDark Gary/Iron care instructions

4.5 OTHERS

1	Label	Label to be back inner side of the rear right pocket. And sample label of the trouser shall be submitted with the offer.	
2	Waist band	Waist band shall be supported by durable inner tape.	
		Band be reasonably extended beyond center fly line.	
		Width of the waist band	1 - 3 inch
		Each one-inch increment of the width be supported by extra center button in identical colour & extra non -corrosive plated metal hook at the end.	
3	Belt Loop	Shall be double fabric thickness.	
		shall be butted on reverse side.	
		Shall be blind stitched.	
		Minimum of 1/2 inch wide by minimum 2 inch long.	
		Shall be 8 or more belt loops required as request by end user.	
		shall be provided in even Nos.	
4	Seam	Inside & Outside seam	Shall be triple stitched.
		Back center seam	
		Seam allowance to be left on each side including back seam completed with over lock hemming	shall be 3/4 inch or more
		Gusseted crotch	Shall be provide in order to relieve pressure zone & prevent blow outs.
		Tailoring	shall be used high quality thread.
5	Fly	Width of the Fly	shall be 1 inch minimum.
		Length	Reasonable length or requested by end user.
6	cuff	Standard size and style	Minimum 1 inch in width and to be completed with over lock hemming.
7	Front Pockets	Two front slant pockets	Shall be available.
		depth of front pocket	Shall be 12 inch from waist band.
8	Rear Pockets	Two rear (hip) insert pockets with flaps (or user specified) & buttons (identical colour provided)	Shall be available.
		depth of rear pocket	Shall be 6 inches.
		Pocketing material	65% Polyester, 35% cotton fabric.

5. TESTING

Test reports available for the material of Denim trouser are encouraged to be submitted along with the offer.

Preference shall be given to Denim Trouser made from materials that have test reports from an acceptable testing laboratory to the purchaser.

6. QUALITY ASSURANCE

Preference shall be given to manufactures who possess ISO 9001:2015 or latest quality assurance certifications for the plant where the manufacture of Denim trouser is done.

Bidders shall furnish a copy of the ISO certificate certified as true copy of the original by the manufacturer, along with the offer.

7. ADDITIONAL REQUIREMENTS

Each denim trouser shall be packaged in an individual package of sufficient strength to properly protect that product from damage.

The type of packaging suitable for transport shall be defined by the manufacturer.

At the request of the customer any additional or amended instructions shall be included in the package.

8. INFORMATION TO BE SUPPLIED WITH THE ORDER

The bid shall be accompanied with the following;

- a) Information on the following:
 - Instructions for use, information on storage, fitting and adjustment, handling, disposal periodic inspection, periodic testing and useful service life.
- b) Packaging details.
- c) Completed schedule of particular as per Annex A.
- d) Test reports or summary sheet conforming to clause 5 and 3

9. SAMPLE STUDY

One returnable sample of a similar denim trouser including accessories if any, and two pieces of clothing material which will be used to manufacture offered denim trouser, shall accompany the bid to facilitate analysis and evaluation. Any additional sample may be requested by the purchaser if such deemed necessary. The selected bidder shall get the approval from the purchaser by submitting samples of the offered denim trouser made of the offered material and design.

10.ANNEX

- | | |
|------------|--|
| Annex i - | Schedule of guaranteed technical Particulars |
| Annex ii - | Design of denim trouser |

SCHEDULE OF GURANTEED THECNICAL PARTICULAR


(JCT Requirements shall be filled by procurement entity and information of the offer shall be filled by the manufacturer/supplier)


Denim trouser			
General Requirement			
Sr No	Item	JCT Requirement	Offered
1.	Manufacturer's Name	Specify	
2.	Manufacturer's Address	Specify	
3.	Design	As per Annex B	
4.	Material	Dyed cotton yarn woven in warp faced style as specified in applicable fabric standard in clause 03	
5.	Fabric Weight (gsm)	305 gsm – 394 gsm	
6.	Trouser Colour	Please refer Table 1	
7.	Available Sizes Range	Please refer clause 4.2	
8.	Zipper	Concealed brass Zipper	
9.	Others	Please refer clause 4.5	
10.	Year and month/Quarter of Manufacture		
11.	Marking/Label	Please refer clause 4.4	
12.	Test Reports/Summary sheet submitted	Please refer clause 5 and 8	
13.	Quality Assurance for Manufacturer	Please refer clause 6	
14.	Samples	Please refer clause 9	
15.	Warranty	Specify	
16.	Packing details submitted	Please refer clause 7	
17.	Product catalogues, technical literature submitted	Please refer clause 8	

I/We certify that the above data are true and correct.

.....
Signature of the Bidder/Manufacture and Seal

.....
Dat



DENIM TROUSER		
DRAWN	NAD	CHECK
DATE	2024.01.30	
 JAYA CONTAINER TERMINALS LIMITED.		

Annexes C

2024

**JCT
SPECIFICATION**

SPECIFICATION FOR PERSONAL PROTECTIVE EQUIPMENT

BODY PROTECTION

SAFETY OVERALL



JAYA CONTAINER TERMINALS LIMITED.

10. SCOPE

This specification specifies the requirements of Jaya Container Terminals Limited for safety overalls.

11. SERVICE CONDITION

1	Annual average ambient temperature	30 °C
2	Maximum ambient temperature	40 °C
3	Maximum relative humidity	90%
4	Environmental conditions	Humid tropical climate

12. APPLICABLE STANDARDS

None.

13. BASIC FEATURES

4.1 DESIGN

As shown in the relevant drawings (Annex B and Annex C)

4.2 SIZES

Overalls shall be available in following sizes:

- a) Small (S)
- b) Medium (M)
- c) Large (L)
- d) Extra Large (XL)
- e) Extra Extra Large (XXL)

However, if there are employees who are not compatible with any of above sizes, the successful bidder shall be able to provide custom made overall according to individual measurements.

4.3 COLOUR

Overall colour shall be based on the relevant Division and the employee category as follows;

Table 1 – Overall Colour

No	Divisions	Section		Qty
1	Engineering	<i>Fire & Safety</i>	Dark Blue	
2	Engineering	<i>Workshop</i>	Dark Blue	
3	Operation	<i>Pump House</i>	Dark Blue	
4	Operation	<i>South Jetty</i>	Dark Blue	

Colours of the wording on overall, in the drawings annex B and annex C Shall be as follows:

Overall Colour	Colour of the wordings/ JCT Logo
Fire & Safety Dark Blue	Fire & Safety – Red JCT Logo - White COLOMBO OIL BANK - White
Dark Blue	JCT Logo - White COLOMBO OIL BANK - White

4.4 MARKING

4.4.1 Each overall shall carry a label giving the following information:

- c) Size of the overall (**S, M, L, XL, XXL**)
- d) WDark Gary/Iron care instructions

4.4.2 Additional marking required are indicated in the drawing annex B and annex C. All the fonts indicated therein shall be “Arial Black” or Similar font style.

14. TESTING

Test reports available for the overall material are encouraged to be submitted along with the offer. Preference shall be given to overall made from materials that have test reports from an acceptable testing laboratory to the purchaser.

15. QUALITY ASSURANCE

Preference shall be given to manufactures who possess ISO 9001:2015 or latest Quality Assurance certifications for the plant where the manufacture of overall is done.

Bidders shall furnish a copy of the ISO certificate certified as true copy of the original by the manufacturer, along with the offer.

16. ADDITIONAL REQUIREMENTS

Each overall shall be packaged in an individual package of sufficient strength to properly protect that product from damage.

The type of packaging suitable for transport shall be defined by the manufacturer.

At the request of the customer any additional or amended instructions shall be included in the package.

17. INFORMATION TO BE SUPPLIED WITH THE ORDER

The bid shall be accompanied with the following;

- e) Information on the following:
Instructions for use, information on storage, fitting and adjustment, handling, disposal periodic inspection, periodic testing and useful service life.
- f) Packaging details.
- g) Completed schedule of particular as per Annex A.
- h) Test reports or summary sheet conforming to clause 5:

18. SAMPLE STUDY

One returnable sample of a similar overall including accessories if any, and two pieces of clothing material which will be used to manufacture offered overalls, shall accompany the bid to facilitate analysis and evaluation. Any additional sample may be requested by the purchaser if such deemed necessary. The selected bidder shall get the approval from the purchaser by submitting samples of the offered overall made of the offered material and design.

10.ANNEX

- Annex i - Schedule of Guaranteed technical Particulars
- Annex ii - Design of Single - Piece Overall

SCHEDULE OF GURANTEED THECNICAL PARTICULAR

(JCT Requirements shall be filled by procurement entity and information of the offer shall be filled by the manufacturer/supplier)

Safety Overall			
General Requirement			
Sr No	Item	JCT Requirement	Offered
1.	Manufacturer's Name	Specify	
2.	Manufacturer's Address	Specify	
3.	Design	As per Annex B: Single - piece Overall	
4.	Material	90% Cotton or above	
5.	Fabric Weight (gsm)	240 gsm – 270 gsm	
6.	Overall Colour	Please refer Table 1	
7.	JCT Logo	As per clause 4.3	
8.	Available Sizes Range	S,M,L,X,XL,XXL Please refer clause 4.2	
9.	Zipper	Heavy duty double zipper with front cover	
10.	Year and month/Quarter of Manufacture		
11.	Marking/Label	Please refer clause 4.4	
12.	Test Reports/Summary sheet submitted	Please refer clause 5	
13.	Quality Assurance for Manufacturer	Please refer clause 6	
14.	Samples	Please refer clause 9	
15.	Warranty	Specify	
16.	Packing details submitted	Please refer clause 7	
17.	Product catalogues, technical literature submitted	Please refer clause 8	


I/We certify that the above data are true and correct.

.....

Signature of the Bidder/Manufacture and Seal

.....

Dat



NOTE:


1. All pockets except pen pockets shall have a top cover
2. Colour of the JCT Logo and wordings as per clause 4.3

LEGEND

A.	50mm
B.	140mm
C.	150mm
D.	170mm
E.	200mm
F.	200mm
G.	15mm
H.	60mm
I.	30mm

SAFETY OVERALL: SINGLE PIECE

DRAWN	NAD	CHECK
DATE	2024.01.30	




LEGEND

A.	50mm
B.	140mm
C.	150mm
D.	170mm
E.	200mm
F.	200mm
G.	15mm
H.	60mm
I.	30mm

NOTE:

- All pockets except pen pockets shall have a top cover
- Colour of the JCT Logo and wordings as per clause 4.3

SAFETY OVERALL: SINGLE PIECE

DRAWN	NAD	CHECK
DATE	2024.01.30	
 JAYA CONTAINER TERMINALS LIMITED.		

Annexes D

**JCT
SPECIFICATION**

**SPECIFICATION COMPLIANCE
FOR
SHIRT**



JAYA CONTAINER TERMINALS LIMITED.

19. SCOPE

This specification specifies the requirements of Jaya Container Terminals Limited for Shirt.

20. SERVICE CONDITION

1	Annual average ambient temperature	30 °C
2	Maximum ambient temperature	40 °C
3	Maximum relative humidity	90%
4	Environmental conditions	Humid tropical climate

21. APPLICABLE STANDARDS

Woven or knitted Fabric made from yarn gsm should be above 115gsm.

Yarn count 2/80 x 40

Shirt fabric content should be **Cotton & Polyester blend**

Fabrication contains between **Cotton 60%** and **Polyester 40%**

22. BASIC FEATURES

4.1 DESIGN

As shown in the relevant drawings (Annex B)

4.2 COLLAR SIZES

The successful bidder shall be able to provide shirts according to these Collar size measurements.

15 – 15.5 – 16 -16.5 – 17

Table 1: Shirts Color and required quantity of short sleeve shirts and long sleeve shirts.

No	Divisions	Colour	Short Sleeve					Long Sleeve					
			15	15.5	16	16.5	17	15	15.5	16	16.5	17	
1	Legal & HR	Pure White											
2	Finance	Pure White											
3	Engineering	Pure White											
4	Business Development & Operation	Pure White											
5	Fire & safety section (only short sleeve)	Pure White											
6	Transport (Only short sleeve)	Light blue											
Total													

4.3 MARKING

4.4.1 Each Shirt shall carry a label giving the following information:

- e) Collar size of the shirt (**14-14.5-15-15.5-16.....**)
- f) Wash/Iron care instructions

4.5 Specification for Buttons, Collar inner bone, Fusing, Band Label and Size Label.

1	Buttons	Plastic – White Colour	12 Linge	At the distance of 15mm from right front body edge and 8cm in – between distance among these (7 Buttons at the front body) 13mm inward from cuff edge and next is placed at 2.2 cm inward for long sleeve (4 buttons at cuff) 1 extra placed at wrong side of right front body (2.5 cm downward from Last button
				Placed at center of both diamond placket (15 mm inward from outside edge) 1 extra at 2.5 cm downward from 12 lings extra button
2	Collar inlay bone	Plastic (4.5 cm x 1.3 cm)		Inside the Collar at each edge.
3	Fusing	Microdot		Inside <ul style="list-style-type: none"> • Collar • Collar Stand • Cuffs
4	Band Label	Woven		Applied to inside right back- Body at the center (2.5 cm below the collar – Stand & back body attachment)
5	Size Label	Woven		Placed at 2 cm left from the center point of Collar stand & back body seam

23. TESTING

Test reports available for the material of shirt are encouraged to be submitted along with the offer.

Preference shall be given to Shirt made from materials that have test reports from an acceptable testing laboratory to the purchaser.

24. QUALITY ASSURANCE

Preference shall be given to manufactures who possess ISO 9001:2015 or latest quality assurance certifications for the plant where the manufacture of Shirt done.

Bidders shall furnish a copy of the ISO certificate certified as true copy of the original by the manufacturer, along with the offer.

25. ADDITIONAL REQUIREMENTS

Each shirt shall be packaged in an individual package of sufficient strength to properly protect that product from damage.

The type of packaging suitable for transport shall be defined by the manufacturer.

At the request of the customer any additional or amended instructions shall be included in the package.

26. INFORMATION TO BE SUPPLIED WITH THE BID

The bid shall be accompanied with the following;

- i) Information on the following:
Instructions for use, information on storage, fitting and adjustment, handling, disposal periodic inspection, periodic testing and useful service life.
- j) Packaging details.
- k) Completed schedule of particular as per Annex A.
- l) Test reports or summary sheet conforming to clause 5:

27. SAMPLE STUDY

One returnable sample of a similar shirts including accessories if any, and two pieces of clothing materials(Pure white & light blue) which will be used to manufacture offered shirts, shall accompany the bid to facilitate analysis and evaluation. Any additional sample may be requested by the purchaser if such deemed necessary. The selected bidder shall get the approval from the purchaser by submitting samples of the offered shirt made of the offered material and design.

10.ANNEX

Annex i - Schedule of guaranteed technical Particulars

Annex ii & iii - Design of Shirts (office , transport ,office aid & fire & safety)

(Annex ii –Office Color –white, transport Color – Light Blue ,Office Aid-Ash color

Annex iii-fire & safety color-white

SCHEDULE OF GURANTEED THECNICAL PARTICULAR

(JCT Requirements shall be filled by procurement entity and information of the offer shall be filled by the manufacturer/supplier)

Annexure i

Denim trouser			
General Requirement			
Sr No	Item	JCT Requirement	Offered
1.	Manufacturer's Name	Should be Specify	
2.	Manufacturer's Address	Should be Specify	
3.	Design	As per Annex ii & iii	
4.	Material	Specification compatible with given specifications on clause 3	
5.	Fabric Weight (gsm)	115gsm	
6.	Shirt Color	Pure white & light blue (Please refer Table 1)	
7.	Available Sizes Range	Please refer clause 4.2	
8.	Specification for Buttons, Collar inner bone, Fussing, Band Label and Size Label.	Offered item should be compatible with given specifications. Please refer clause 4.4	
9.	Year and month/Quarter of Manufacture	Should be Specify	
10.	Marking/Label	Please refer clause 4.3	
11.	Test Reports/Summary sheet submitted	Please refer clause 5	
12.	Quality Assurance for Manufacturer	Please refer clause 6	
13.	Samples	Please refer clause 9	
14.	Warranty	03 months	
15.	Packing details submitted	Please refer clause 7	
16.	Product catalogues, technical literature submitted	Please refer clause 8	

I/We certify that the above data are true and correct.

.....

Signature of the Bidder/Manufacturer and Seal

.....

Date




Long sleeve shirt



Short sleeve shirt


Shirt –Long sleeve-office only(white)
 Short sleeve- office/supervisors(white)
 Short sleeve-Transport(Light Blue)/office Aid(Ash)

DRAWN	NAD	CHECK
DATE	2024.02.14	
 JAYA CONTAINER TERMINALS LIMITED.		

Fire & Safety Section – 09 Nos

(Pure White Shirt) – Short Sleeve Double Caps

Annex iii



Annexes E

**JCT
SPECIFICATION**

**SPECIFICATION COMPLIANCE
FOR
T-SHIRTS**



JAYA CONTAINER TERMINALS LIMITED.

Tel. 0112540045-46-40

Fax. 0112540046

SCHEDULE OF SPECIFICATIONS FOR T-SHIRTS (COLOR WITH LOGO)

Bidder shall dully fill the “Bidders Compliance” column in this Technical Schedule. All the items shall be accepted or rejected by selecting suitable words. Bids supplied without properly filling the Bidder’s Compliance shall not be considered in the evaluation. No further enquires are made.

S/N	Description / JCT Ltd Requirement	Bidder’s Compliance
1	General Conditions	
1.1	General Requirement To Supply _____ Nos of T-Shirts, as per the specifications and contract terms mentioned hereafter.	
1.2	Size of the T-Shirt	Following standard size T-Shirts shall supplied in five different colors.
		Small (S), Medium (M), Large (L), Extra Large (XL), Extra Large (XXL), Extra Large (3XL), Extra Large (4XL)
		Exact Numbers of T-Shirts required from each size shall be informed to the successful bidder.
1.3	Designing T-Shirt and Supplying Samples	Successful Bidder shall design the T-Shirt according to the Standard Measurements of each size and supply that sample set for the acceptance and conformation of size, color and outlook of the T-Shirt.
		Before submitting the samples conformation shall obtain from JCT Ltd for the Clothing Material and Color of the T-Shirts.
		Bidder shall get the conformation before commencing the sewing of the T-Shirt and T-Shirts supplied without getting the conformation of Color and Shape shall be rejected.
		Sample set shall be returned to the bidder after successful delivery of the T-Shirts.
1.4	Color Selection and Conformation	Successful Bidder shall provide standard color code (Pantone color standard for textile) along with piece of clothing material from each color by which he is intended to sewing the T-Shirt.
		A Sample set of T-Shirt is available in the Purchasing Division of JCT Ltd for the inspection and Color matching.

1.5	Clothing Material	Locally manufactured clothing material is preferred. If it is an imported material from overseas, a sample piece of material with the authorization letter issued from the Domestic Textile Allocation Committee functioning under Ministry of Industries allowing the particular material for using in Sri Lanka shall be submitted with the bid.	
1.6	Sample Clothing Material	1x1m Size Clothing material from each color shall be supplied the bid for the testing purpose. Sample material shall not be returned.	
1.7	Test Certificate for clothing Material	A Test Certificate for the clothing material obtain from the Textile Training Service Center or from accredited Testing Institute in Sri Lanka shall be submitted with the bid.	
		Test requirements are as per the 2.1 below	
2	Specification of Clothing Material and T-Shirt		
2.1	Clothing Material		
		1. Mass per Unit Area : 230gr/m ² + 5% As per BS2471 (ISO3801)	
		2. Composition of Yam : 65% Polyester and 35% Cotton, As per BS 4407	
		3. Dimensional Change on WDark Garying : + 3%, As per BS 5807 (ISO5077)	
		4. Breaking Strength of Yarn : 700kpa (Min) As per BS 4768 (Using 30mm diameter Orifice)	
	5. Color Fastness to	i. Light : 5 or Better As per ISO 105 B02	
		ii. WDark Garying : 4 or Better As per ISO 105 C03	
		iii. Perspiration : 4 or Better As per ISO 105 E04	
		iv. Hot Pressing : 4 or Better As per ISO 105 x 11	
		v. Rubbing : 4 or Better As per ISO 105 x 12	

2.2	Make Country origin	and of	If Clothing material is imported, its make and Country of Origin shall be mentioned.	
			If the material is imported all the documents and certificate mentioned in the specification Clause 1.5 shall be submitted.	
3	Specification and Design of T-Shirt refer attach table 01 and Annexure			
3.1	Size Trimming		Size measurements as indicated in specification Clause 1.2. However some measurements have to be trimmed as per the requirements of JCT Ltd after inspection of the sample set submitted by the successful bidder.	
3.2	Front Pocket		Pocket of the T-shirt shall be positioned on the front left side of the T-Shirt as per the sample available in JCT Ltd. Approximate size of the pocket shall be: Width = 10cm Height = 10cm	
3.3	Buttoned Neck Placket		Buttoned Neck Placket shall be provided. Number of buttons shall be two or three and depend on length of the Neck Placket.	
3.4	Buttons		Good quality and suitable colors buttons shall be supplied according to Specifications-Clause.	
3.5	Embroiders		All embroiders wherever possible shall be over-locked type.	
3.6	JCT Ltd		JCT Ltd shall be positioned and stitched on the front pocket as per the sample T-Shirt available.	
3.7	Collar		Matching Collar with similar size and suitable color shall be attached. Collar material shall be as per the sample available.	
3.8	Text on Front & Back of the T-Shirt		Back side of the T-Shirt shall be printed with the intended some divisions. Height and Color of each letters are indicating on pictures of relevant division. (Pictures Attached)	

4		Other Requirement	
4.1	Warranty	Warranty shall cover at least 03 months from the date of acceptance of the T-Shirt by JCT Ltd. Warranty shall cover poor sewing, color fading, and excessive shrinkage after wDark Garying other than miss-use or miss-handling by the user.	
4.2	Delivery Period	Completed lot of T-Shirts shall be provided within Ten(10)weeks from the date of conformation of the order. Part delivery is not Accepted.	

Authorized Signature :

Company Name :

Company seal :

Note :

The original Certificates (or Clear and Legible Photocopies) in support of information required by Technical Specifications shall be submitted along with bids, failing of which may lead to rejection of offer.

Table 01

Department	Color code	Quantity	Design
1. Engineering section – (Welder, Multi Skilled Technician and Electrician)	T-Shirt – Black Piping – white Company Name and Logo - White	09	Annexure 01
2. Operation section – (Multi Duty Operator)	T-Shirt – Dark Gary Company Name and Logo - White	32	Annexure 03
3. Operation section – (Miscellaneous Work Assistant)	T-Shirt – Brown Company Name and Logo - White	34	Annexure 02
4. Fire & Safety	T-Shirt – Dark Blue Piping – Red Company Name and Logo – White Section name – Red	08	Annexure 04
5. Office	T-Shirt – Aqua Green Piping – White Company Name and Logo – White	56	Annexure 05

Quantity- 09

Annexure 01

Work Shop

(Electrician/ Multi Skilled Technician/ Wedder)



Color – Black

Line - white

**Pocket – Height-10cm
Width-10cm**

**JCT logo(white) - Height-06cm
Width-06cm**

**LTD – Height-1.5cm
Length-3cm**

**ENGINEERING – Length – 18cm
Height – 12cm**

**COLOMBO OIL BANK – Length -22cm
Height –03cm**

Quantity- 34

Annexure 02

Pump House/ South Jetty
(Miscellaneous Work Assistant)



Pocket – Height-10cm
Width-10cm

Colombo Oil Bank – Width- 18cm
Height- 03cm

JCT logo - Height-12cm
Width-09cm

T-shirt Color – Brown
Logo color - white

LTD - Height-02cm

Width-05cm

Quantity - 32

Annexure 03

Pump House/ South Jetty

(Multy Duty Operator)



Pocket – Height-10cm

Width-10cm

JCT logo - Height-12cm

Width-09cm

Colombo Oil Bank – Width- 18cm

Height- 03cm

T-Shirt Color - GRAY

Logo Color - white

LTD - Height-02cm

Width-05cm

Annexure 04

Fire & Safety

Quantity - 08



COLOMBO OIL BANK – Length-22cm
Height-03cm

FIRE & SAFETY – Length-17.5cm
Height-2cm

Backside

JCT Logo – Height-6cm
Width-6cm

LTD - Height-1.5cm
Width-3cm

Front

T-shirt Color - Dark Blue

Logo Color white
Piping - Red

Office

Quantity - 56



JCT Logo – Height-6cm

Width-4cm

COLOMBO OIL BANK

Height – 1 cm width – 7cm

LTD - Height-1cm

Width-7cm

T-shirt Color –Aqua Green

Logo color -white

Annexes F

**JCT
SPECIFICATION**

**SPECIFICATION COMPLIANCE
FOR
SAFETY SHOES**



JAYA CONTAINER TERMINALS LIMITED.

Tel. 0112540045-46-40

Fax. 0112540046

Purchase of 60 Nos. Safety shoes

Schedule of Specifications

Instructions:

01. The bidder shall duty fill all the cells of the table of "Schedule of Specifications" furnished bellow and shall sign each page. All blanks shall be filled with words or figures, without just ticking. The bidders which do not comply with the instructions are liable to rejection, without further inquiry.
02. Low Quality, non-branded offers are not considered in the evaluation.

		Requirement	Bidder's Response
1.0	General		
1.1	General Requirement	Standard Black colour men's mid-cut safety shoes, full-grain leather, padded collars, laces type with suitable anti-rust eyelet type or anchor type lace carriers with comfortable design and improved elegance shoe and shall be suitable for a hazardous environment for heavy industrial use, with ergonomic comfort features.	
1.2	Applications	The Safety shoe shall be suitable for the working environment of Oil environment, automobile, electrical construction, fabrication, welding and other similar heavy industries. Also, suitable for port operations	
1.3	Make	To be mentioned.	
1.4	Model	To be mentioned.	
1.5	County of origin / manufacturing	To be mentioned.	
1.6	Country supplying	To be mentioned. (If different above 1.5)	
1.7	Reputation	The bidder shall be a reputed entity for supplying or manufacturing leather safety shoes in Sri Lanka and agreed to supply safety shoe according to the requirement of the procurement entity.	
		The bidder shall submit a certificate of registration of a business under the Ministry of Industry and commerce.	
		PCA -3 from as per the public contract act, No.3 of 1987 is compulsory to be submitted over 5.0 million of contract sum. The bidder shall be registered at the relevant governing body before closing the bids and a particular form shall be submitted with the bid.	

2.0	Standards		
2.1	Product	The product offering shall comply with the international standards for safety shoes; the latest versions of EN ISO 20345:2011 or ASTM F 2413 or any other equivalent recognized standard or higher standard that applies to safety shoes. However, bidder shall specifically state the standard or which their offers will comply with the supporting document from standard institutions connected.	
2.2	Manufacturing Plant	The Manufacture's plant should have obtained ISO 9001 standard certification or equivalent. A copy of such certificate shall be submitted together with the bid.	
3.0	Test Certificates		
3.1	Test Reports	The test report issued by the local testing Authority or any accredited testing/training institution having such facilities and authorization in Sri Lanka shall be submitted along with the bid. Suggested testing institutions; ITI. Material Test Laboratory University of Moratuwa... etc. The bidder shall be use a sample from the same make and model for the testing purposes'	
		The test report submitted after the bid opening will not be considered in the evaluation. The procurement entity or evaluation committee has the authority to request additional tests or report tests in the event of insufficient data or test results during the evaluation process. The bidders are bound to respond to such inquiries.	
		The test report which issued by the manufacturing plant or foreign country will not be considered in the evaluation.	
3.2	Standards	The tests shall be carried out according to the ISO/ASIM standard and the results shall be forwarded as per the format of test results ahead of the acceptable values in the particular standards.	
3.3	Tests	The following test results shall be included in the test reports with their standard values according to the respective standards;	

		<ul style="list-style-type: none"> • Material verification (outsole, midsole, insole, upper material, lining... etc.) • Oil resistance • Flexing • Water absorption / penetration • Sole adhesion • Upper sole bonding adhesion strength • Density • Abrasion resistant • Safety sole testing • Electrical resistance • Compression test and impact resistance of toe cap • Heat resistance • Slip resistance 	
4.	Specific Properties		
4.1	Upper Material	<p>Shall be fill-grain water-resistant genuine leather with a black finish</p> <p>The material of the sample shoe shall be verified in the test reports, which is mentioned in 3.3</p>	
4.2	Lining Material	<p>Good quality soft genuine leather shall have breathability & quick absorbent properties for added comfort.</p> <p>The material of the sample shoe shall be verified in the test reports, which is mentioned in 3.3</p>	
4.3	Outsole	<p>Direct injection polyurethane.</p> <p>The material of the sample shoes shall be verified in the test reports, which is mentioned in 3.3</p>	
4.4	Sole	<p>The sole material shall be provided with more cushioning & bounce back properties for improved comfort for the wearer.</p>	
4.5	Toe Cap	<p>The safety footwear shall have toe protection with a steel. Cap and sets a standard of 200 Joules impact resistance (equivalent to a 20 kg weight dropped 1,020 mm on the toes) and a 15 KN compression test (equivalent to 1.5 tones resting on the toe area)</p> <p>The sample shoe shall be tested against the above and results shall be included in the test reports, which is mentioned in 3.3</p>	

4.6	Tongue	Tongue shall be made up of soft leather to provide comfort after the tightening of the laces	
4.7	Collar	The soft cushioning color shall be provided at the opening of the shoe to avoid rubbing the ankle.	
4.8	Electrical resistance	Shall over standards ISO F2413 or EN ISO 20344; 2011 or equivalent. Shall be provided with electric hazard protection to the wearer for the maximum voltage not less than 11,000 VRMS/50Hz over duration of one minute with no current flow via the shoe under dry condition. The sample shoe shall be tested against the electrical resistance and result shall be included in test reports as mentioned in 3.3	
4.9	Heat resistance	The outside shall be resisted against the heat 300 °C for 60seconds or shall meet the minimum requirement of EN ISO 20435 The sample shoe shall be tested for resistance against heat for 30 minutes at 150 °C and results shall be included in the test reports which is mentioned 3.3	
4.10	Slip Resistance	The safety shoe shall be slip resistance and shall be tested the value of "Coefficient of Friction" (COF), weather meeting the minimum requirement of EN ISO 20345/67: 2004 or the latest version. The COF value of the sample shoe shall be included in the test reports which is mentioned 3.3	
4.11	Abrasion Resistance	Midsole penetration protection against sharp objects such as nails, and other sharp protrusions shall be included by integrating either stainless steel or Aluminum insert in the sole, or Kevlar insole. The above shall be verified in test reports in 3.3 in order to meet the requirements of EN ISO 20345 standard of resisting a penetration force of 1.1 KN.	
4.12	Other Properties	Oil, acid and chemical resistance properties shall be confirmed according to the minimum requirement of the applicable standards and the same shall be indicated in the test report.	
4.13	Weight	The weight of a shoe which has the highest dimensions shall not be exceeded 750 g. The bidder shall precisely mention the weight by submitting proven product literature.	
5	General Terms		

5.1	Warranty	12 months comprehensive warranty against the material, inferior quality, and workmanship defects shall be furnished for all items.	
		Any repairs/ replacements during the warranty period shall be done free of charge.	
		The supplier shall be fully responsible to collect defective items from the main stores of the JCT Ltd . After the correcting of defective items, the same shall be delivered to the aforesaid location.	
5.2	Samples	A sample pair of shoe from size 8 shall be submitted with the bid. The sample might be subjected to a destructive test if necessary by JCT Ltd in order to ascertain the properties of the shoe. The sample might not be in usable condition after the test and any compensation for damages shall not be paid by the JCT Ltd . However the test will be carried out after informing the bidder in an independent laboratory. Each offer shall be supported by corresponding samples.	
5.3	Size	The bidder should agree to supply the shoes in batches of different sizes as per the JCT requirement. The bid price per pair of shoes shall be valid for entire order quantities irrespective of the shoe size. The final list of required sizes and relevant quantities shall be issued with the order.	
5.4	Product Literature	Complete product literature in English issued by the manufacture shall be submitted with the bid in order to verify the credibility of the offer with the requirement. Also, the bidder shall submit the manufacture's genuineness certificate.	
5.5	Manufacturing Date	The date of manufacturing shall be less than 06 months from the date of delivery of shoes. Further, the date of expiry shall be fallen beyond the end date of the warranty period. Moreover the aforementioned dates shall be printed in each package box.	
5.6	Marking	The outside of each shoe shall be permanently embossed CE or equivalent making system to identify protection properties and performance standards. A minimum of the following information shall be included.	

		<ul style="list-style-type: none"> i. Size ii. Year of manufacture iii. Manufacture's identification mark 	
5.7	Packaging	<p>The footwear shall be packed so as not to spoil the shape of footwear and lines with waterproof packing paper. The package shall be legibly marked with the following.</p> <ul style="list-style-type: none"> I. Name of the manufacture II. Batch Number III. Size Number IV. Date of Manufacturing V. Date of expiry 	
5.8	Acceptance	Acceptance of the delivery shall be done only after an independent product testing via an accredited testing institution in Sri Lanka.	
		The cost in connection with the testing shall be incurred by the supplier.	
		The Supplier shall deliver an additional pair of shoes from size 8 for the destructive testing purpose.(If required)	